




StuccoFoamTrim.com
1-877-230-8746

STANDARD TRIM


MAXIMUM SEGMENT LENGTH IS 96 INCHES.
SIZES MAY VARY BY UP TO 1/4 INCH
DEPENDING ON COATING OR FINISH TYPE

Copyright © 2026 - Invicta Foam Products, LLC


ST 1X4"




ST 1X6"




ST 1X8"




ST 1X10"




ST 1X12"




ST 1.5X4"




ST 1.5X6"




ST 1.5X8"




ST 1.5X10"




ST 1.5X12"




ST 2X4"




ST 2X6"




ST 2X8"




ST 2X10"




ST 2X12"




STB 1.5X4"




STB 1.5X6"




STB 1.5X8"



STB 1.5X10"



STB 1.5X12"



WINDOW & DOOR TRIM




MAXIMUM SEGMENT LENGTH IS 96 INCHES.
SIZES MAY VARY BY UP TO 1/4 INCH
DEPENDING ON COATING OR FINISH TYPE

Note: For sizes where "B" is over 2" (flat side), piece can be made with about 4" drainage slope if installed horizontally. See detail.


Copyright © 2026 - Invicta Foam Products, LLC

TIN-101




SIZE OPTIONS
A=4" B=1-3/4"
A=5" B=2-1/8"
A=6" B=2-1/2"
A=7" B=3-0"
A=8" B=3-3/8"
A=9" B=3-7/8"
A=10" B=4-1/4"

TIN-102




SIZE OPTIONS
A=4" B=1-3/4"
A=5" B=2-1/8"
A=6" B=2-1/2"
A=7" B=3-0"
A=8" B=3-3/8"
A=9" B=3-7/8"
A=10" B=4-1/4"

TIN-103




SIZE OPTIONS
A=4" B=1-3/4"
A=5" B=2-1/8"
A=6" B=2-1/2"
A=7" B=3-0"
A=8" B=3-3/8"
A=9" B=3-7/8"
A=10" B=4-1/4"

TIN-104




SIZE OPTIONS
A=4" B=1-5/8"
A=5" B=2"
A=6" B=2-3/8"
A=7" B=2-3/4"
A=8" B=3-1/4"
A=9" B=3-5/8"
A=10" B=4"

TIN-105



SIZE OPTIONS
A=4" B=1-3/4"
A=5" B=2-1/8"
A=6" B=2-1/2"
A=7" B=3-0"
A=8" B=3-3/8"
A=9" B=3-7/8"
A=10" B=4-1/4"

TIN-106



SIZE OPTIONS
A=4" B=2"
A=5" B=2-1/2"
A=6" B=3"
A=7" B=3-1/2"
A=8" B=4"
A=9" B=4-1/2"
A=10" B=5"

TIN-107



SIZE OPTIONS
A=4" B=1-1/4"
A=5" B=1-5/8"
A=6" B=1-7/8"
A=7" B=2-1/4"
A=8" B=2-1/2"
A=9" B=2-7/8"
A=10" B=3-1/8"

TIN-108



SIZE OPTIONS
A=4" B=1-1/4"
A=5" B=1-5/8"
A=6" B=1-7/8"
A=7" B=2-1/4"
A=8" B=2-5/8"
A=9" B=2-7/8"
A=10" B=3-1/4"

TIN-109



SIZE OPTIONS
A=4" B=1-1/4"
A=5" B=1-1/2"
A=6" B=1-7/8"
A=7" B=2-1/8"
A=8" B=2-1/2"
A=9" B=2-3/4"
A=10" B=3-1/8"

TIN-110




SIZE OPTIONS
A=4" B=1-3/4"
A=5" B=2-1/4"
A=6" B=2-5/8"
A=7" B=3-1/8"
A=8" B=3-5/8"
A=9" B=4"
A=10" B=4-1/2"

TIN-111




SIZE OPTIONS
A=4" B=1-3/8"
A=5" B=1-3/4"
A=6" B=2"
A=7" B=2-3/8"
A=8" B=2-3/4"
A=9" B=3-1/8"
A=10" B=3-3/8"

TIN-112



SIZE OPTIONS
A=4" B=1-1/2"
A=5" B=1-7/8"
A=6" B=2-1/4"
A=7" B=2-5/8"
A=8" B=3"
A=9" B=3-3/8"
A=10" B=3-3/4"

TIN-113




SIZE OPTIONS
A=4" B=1-3/8"
A=5" B=1-3/4"
A=6" B=2"
A=7" B=2-3/8"
A=8" B=2-3/4"
A=9" B=3-1/8"
A=10" B=3-3/8"

TIN-114




SIZE OPTIONS
A=4" B=1-3/8"
A=5" B=1-5/8"
A=6" B=2"
A=7" B=2-3/8"
A=8" B=2-5/8"
A=9" B=3"
A=10" B=3-3/8"

TIN-115




SIZE OPTIONS
A=4" B=2"
A=5" B=2-1/2"
A=6" B=3"
A=7" B=3-1/2"
A=8" B=4"
A=9" B=4-1/2"
A=10" B=5"

TIN-116




SIZE OPTIONS
A=4" B=2"
A=5" B=2-1/2"
A=6" B=3"
A=7" B=3-1/2"
A=8" B=4"
A=9" B=4-1/2"
A=10" B=5"

TIN-117




SIZE OPTIONS
A=4" B=2"
A=5" B=2-1/2"
A=6" B=3"
A=7" B=3-1/2"
A=8" B=4"
A=9" B=4-1/2"
A=10" B=5"

TIN-118



SIZE OPTIONS
A=4" B=1-1/4"
A=5" B=1-1/2"
A=6" B=1-7/8"
A=7" B=2-1/8"
A=8" B=2-1/2"
A=9" B=2-3/4"
A=10" B=3-1/8"

TIN-119



SIZE OPTIONS
A=4" B=2"
A=5" B=2-1/2"
A=6" B=3"
A=7" B=3-1/2"
A=8" B=4"
A=9" B=4-1/2"
A=10" B=5"

TIN-120





SIZE OPTIONS
A=4" B=1-1/4"
A=5" B=1-5/8"
A=6" B=1-7/8"
A=7" B=2-1/4"
A=8" B=2-1/2"
A=9" B=2-7/8"
A=10" B=3-1/8"

TIN-121




SIZE OPTIONS
A=4" B=1-3/8"
A=5" B=1-5/8"
A=6" B=2"
A=7" B=2-3/8"
A=8" B=2-5/8"
A=9" B=3"
A=10" B=3-3/8"

SS-101





SIZE OPTIONS
A=5" B=2-1/2" A=8" B=4"
A=6" B=3" A=9" B=4-1/2"
A=7" B=3-1/2" A=10" B=5"

SS-102





SIZE OPTIONS
A=5" B=2-7/8" A=8" B=4-5/8"
A=6" B=3-1/2" A=9" B=5-1/4"
A=7" B=4-1/8" A=10" B=5-7/8"

SS-103





SIZE OPTIONS
A=5" B=3-7/8" A=8" B=5-3/8"
A=6" B=4" A=9" B=6"
A=7" B=4-5/8" A=10" B=6-5/8"

SS-104





SIZE OPTIONS
A=5" B=1-5/8" A=8" B=2-5/8"
A=6" B=2" A=9" B=3"
A=7" B=2-3/8" A=10" B=3-3/8"

SS-105




SIZE OPTIONS
A=5" B=2-1/8" A=8" B=3-3/8"
A=6" B=2-1/2" A=9" B=3-3/4"
A=7" B=2-7/8" A=10" B=4-1/8"

SS-106





SIZE OPTIONS
A=5" B=2-1/2" A=8" B=4"
A=6" B=3" A=9" B=4-1/2"
A=7" B=3-1/2" A=10" B=5"

SS-107



SIZE OPTIONS
A=5" B=1-7/8" A=8" B=3"
A=6" B=2-1/4" A=9" B=3-3/8"
A=7" B=2-5/8" A=10" B=3-3/4"

SS-108



SIZE OPTIONS
A=5" B=2-3/8" A=8" B=3-7/8"
A=6" B=2-7/8" A=9" B=4-3/8"
A=7" B=3-3/8" A=10" B=4-3/4"


WINDOW SILLS




MAXIMUM SEGMENT LENGTH IS 96 INCHES.
SIZES MAY VARY BY UP TO 1/4 INCH
DEPENDING ON COATING OR FINISH TYPE

Copyright © 2026 - Invicta Foam Products, LLC


SIN-101




SIN-102




SIN-103




SIN-104




SIN-105




SIN-106




SIN-107




SIN-108




SIN-109




SIN-110




SIN-111




SIN-112




SIN-113




SIN-114




SIN-115




SIN-116




SIN-117




SIN-118




SIN-119



SIN-120


























SIN-121





Copyright © 2026 - Invicta Foam Products, LLC


MAXIMUM SEGMENT LENGTH IS 96 INCHES. SIZES MAY VARY BY UP TO $\frac{1}{4}$ INCH DEPENDING ON COATING OR FINISH TYPE. ONLY EXPOSED PART OF CORNICE WILL BE FINISHED. SEE DIAGRAM.




SHUTTERS

SIZES MAY VARY BY UP TO $\frac{1}{4}$ INCH
DEPENDING ON COATING OR FINISH TYPE


Copyright © 2026 - Invicta Foam Products, LLC




STYLE 1




STYLE 2




STYLE 3




STYLE 4




STYLE 5




STYLE 6



STYLE 7




STYLE 8




STYLE 9



STYLE 10



STYLE 11



When ordering shutters specify:


1. Style
 2. Width "A"
 3. Height "B"
 4. *Height of arch "C"
- *(Arches not available for styles 2, 6 and 9 shown above)

POST CAPS

SIZES MAY VARY BY UP TO $\frac{1}{4}$ INCH
DEPENDING ON COATING OR FINISH TYPE


Copyright © 2026 - Invicta Foam Products, LLC

PCI-101




SIZE OPTIONS

A=10" B=4-1/2"	A=24" B=10-7/8"	A=38" B=17-1/8"
A=12" B=5-3/8"	A=26" B=11-3/4"	A=40" B=18"
A=14" B=6-3/8"	A=28" B=12-5/8"	A=42" B=19"
A=16" B=7-1/4"	A=30" B=13-1/2"	A=44" B=19-7/8"
A=18" B=8-1/8"	A=32" B=14-3/8"	A=46" B=20-3/4"
A=20" B=9"	A=34" B=15-3/8"	A=48" B=21-5/8"
A=22" B=9-7/8"	A=36" B=16-1/4"	A=50" B=22-1/2"




PCI-102




SIZE OPTIONS

A=10" B=4-3/4"	A=24" B=11-1/4"	A=38" B=17-7/8"
A=12" B=5-5/8"	A=26" B=12-1/4"	A=40" B=18-7/8"
A=14" B=6-5/8"	A=28" B=13-1/8"	A=42" B=19-3/4"
A=16" B=7-1/2"	A=30" B=14-1/8"	A=44" B=20-3/4"
A=18" B=8-1/2"	A=32" B=15"	A=46" B=21-5/8"
A=20" B=9-3/8"	A=34" B=16"	A=48" B=22-5/8"
A=22" B=10-3/8"	A=36" B=16-7/8"	A=50" B=23-1/2"




PCI-103




SIZE OPTIONS

A=10" B=4-5/8"	A=24" B=11-1/4"	A=38" B=17-3/4"
A=12" B=5-5/8"	A=26" B=12-1/8"	A=40" B=18-5/8"
A=14" B=6-1/2"	A=28" B=13-1/8"	A=42" B=19-5/8"
A=16" B=7-1/2"	A=30" B=14"	A=44" B=19-7/8"
A=18" B=8-3/4"	A=32" B=15"	A=46" B=20-1/2"
A=20" B=9-3/8"	A=34" B=15-7/8"	A=48" B=22-3/8"
A=22" B=10-1/4"	A=36" B=16-3/4"	A=50" B=23-3/8"




PCI-104




SIZE OPTIONS

A=10" B=4-1/8"	A=24" B=9-7/8"	A=38" B=15-3/4"
A=12" B=5"	A=26" B=10-3/4"	A=40" B=16-1/2"
A=14" B=5-3/4"	A=28" B=11-5/8"	A=42" B=17-3/8"
A=16" B=6-5/8"	A=30" B=12-3/8"	A=44" B=18-1/4"
A=18" B=7-1/2"	A=32" B=13-1/4"	A=46" B=19"
A=20" B=8-1/4"	A=34" B=14-1/8"	A=48" B=19-7/8"
A=22" B=9-1/8"	A=36" B=14-7/8"	A=50" B=20-3/4"




PCI-105




SIZE OPTIONS

A=10" B=4-3/8"	A=24" B=10-5/8"	A=38" B=16-3/4"
A=12" B=5-1/4"	A=26" B=11-1/2"	A=40" B=17-5/8"
A=14" B=6-1/8"	A=28" B=12-3/8"	A=42" B=18-1/2"
A=16" B=7"	A=30" B=13-1/4"	A=44" B=19-3/8"
A=18" B=7-7/8"	A=32" B=14-1/8"	A=46" B=20-1/4"
A=20" B=8-7/8"	A=34" B=15"	A=48" B=21-1/8"
A=22" B=9-3/4"	A=36" B=15-7/8"	A=50" B=22"




PCI-106




SIZE OPTIONS

A=10" B=4-1/4"	A=24" B=10-1/4"	A=38" B=16-1/4"
A=12" B=5-1/8"	A=26" B=11-1/8"	A=40" B=17-1/8"
A=14" B=6"	A=28" B=12"	A=42" B=17-7/8"
A=16" B=6-7/8"	A=30" B=12-3/4"	A=44" B=18-3/4"
A=18" B=7-5/8"	A=32" B=13-5/8"	A=46" B=19-5/8"
A=20" B=8-1/2"	A=34" B=14-1/2"	A=48" B=20-1/2"
A=22" B=9-3/8"	A=36" B=15-3/8"	A=50" B=21-3/8"




PCI-107




SIZE OPTIONS

A=10" B=5"	A=24" B=12-1/8"	A=38" B=19-1/8"
A=12" B=6"	A=26" B=13-1/8"	A=40" B=20-1/8"
A=14" B=7"	A=28" B=14-1/8"	A=42" B=21-1/8"
A=16" B=8"	A=30" B=15-1/8"	A=44" B=22-1/8"
A=18" B=9-1/8"	A=32" B=16-1/8"	A=46" B=23-1/8"
A=20" B=10-1/8"	A=34" B=17-1/8"	A=48" B=24-1/8"
A=22" B=11-1/8"	A=36" B=18-1/8"	A=50" B=25-1/4"




PCI-108



SIZE OPTIONS

A=10" B=4-1/2"	A=24" B=10-5/8"	A=38" B=16-7/8"
A=12" B=5-3/8"	A=26" B=11-5/8"	A=40" B=17-3/4"
A=14" B=6-1/4"	A=28" B=12-1/2"	A=42" B=18-3/4"
A=16" B=7-1/8"	A=30" B=13-3/8"	A=44" B=19-5/8"
A=18" B=8"	A=32" B=14-1/4"	A=46" B=20-1/2"
A=20" B=8-7/8"	A=34" B=15-1/8"	A=48" B=21-3/8"
A=22" B=9-3/4"	A=36" B=16"	A=50" B=22-1/4"






WALL CAPS

MAXIMUM SEGMENT LENGTH IS 96 INCHES.
SIZES MAY VARY BY UP TO $\frac{1}{4}$ INCH
DEPENDING ON COATING OR FINISH TYPE

Copyright © 2026 - Invicta Foam Products, LLC




WCI-101



SIZE OPTIONS

A=4" B=3-1/2" C=6-5/8"
A=5" B=4-1/4" C=8-3/8"
A=6" B=5-1/8" C=10"
A=7" B=6" C=11-5/8"
A=8" B=6-7/8" C=13-3/8"
A=9" B=7-3/4" C=15"
A=10" B=8-5/8" C=16-5/8"




WCI-102



SIZE OPTIONS

A=4" B=3-5/8" C=6-7/8"
A=5" B=4-1/2" C=8-1/2"
A=6" B=5-3/8" C=10-1/4"
A=7" B=6-1/4" C=12"
A=8" B=7-1/4" C=13-5/8"
A=9" B=8-1/8" C=15-3/8"
A=10" B=9" C=17"




WCI-103



SIZE OPTIONS

A=4" B=3-5/8" C=7-7/8"
A=5" B=4-1/2" C=9-7/8"
A=6" B=5-3/8" C=11-7/8"
A=7" B=6-3/8" C=13-7/8"
A=8" B=7-1/4" C=15-7/8"
A=9" B=8-1/8" C=17-7/8"
A=10" B=9" C=19-3/4"




WCI-104



SIZE OPTIONS

A=4" B=3-1/8" C=6-1/2"
A=5" B=3-7/8" C=8-1/8"
A=6" B=4-5/8" C=9-3/4"
A=7" B=5-3/8" C=11-3/8"
A=8" B=6-1/4" C=13"
A=9" B=7" C=14-5/8"
A=10" B=7-3/4" C=16-1/4"




WCI-105



SIZE OPTIONS

A=4" B=3-1/4" C=6-1/4"
A=5" B=4-1/8" C=7-7/8"
A=6" B=4-7/8" C=9-1/2"
A=7" B=5-3/4" C=11"
A=8" B=6-1/2" C=12-5/8"
A=9" B=7-3/8" C=14-1/8"
A=10" B=8-1/8" C=15-3/4"




WCI-106



SIZE OPTIONS

A=4" B=3-1/4" C=7-1/8"
A=5" B=4-1/8" C=9"
A=6" B=4-7/8" C=10-3/4"
A=7" B=5-3/4" C=12-1/2"
A=8" B=6-1/2" C=14-3/8"
A=9" B=7-3/8" C=16-1/8"
A=10" B=8-1/8" C=17-7/8"




WCI-107



SIZE OPTIONS

A=6" B=5-7/8" C=11-3/4"
A=7" B=6-3/4" C=13-3/4"
A=8" B=7-3/4" C=15-3/4"
A=9" B=8-3/4" C=17-5/8"
A=10" B=9-3/4" C=19-5/8"

WCI-108





SIZE OPTIONS

A=4" B=3-3/8" C=6-5/8"
A=5" B=4-1/8" C=8-3/8"
A=6" B=5" C=10"
A=7" B=5-7/8" C=11-5/8"
A=8" B=6-5/8" C=13-1/4"
A=9" B=7-1/2" C=15"
A=10" B=8-3/8" C=16-5/8"

CORBELS


Copyright © 2026 - Invicta Foam Products, LLC

SIZES MAY VARY BY UP TO $\frac{1}{4}$ INCH DEPENDING ON COATING OR FINISH TYPE.
USUAL COATING IS FRONT AND SIDES. TOP COATING IS OPTIONAL



INSTALLATION SCHEME


COR-101



SIZE OPTIONS

A=5" B=4" C=3" A=8" B=6-3/8" C=4-3/4"
A=6" B=4-7/8" C=3-5/8" A=9" B=7-1/4" C=5-3/8"
A=7" B=5-5/8" C=4-1/4" A=10" B=8" C=6"


COR-102



SIZE OPTIONS

A=5" B=5" C=3" A=8" B=8" C=4-3/4"
A=6" B=6" C=3-5/8" A=9" B=9" C=5-3/8"
A=7" B=7" C=4-1/4" A=10" B=10" C=6"


COR-103



SIZE OPTIONS

A=5" B=4-5/8" C=3" A=8" B=7-3/8" C=4-3/4"
A=6" B=5-1/2" C=3-5/8" A=9" B=8-1/4" C=5-3/8"
A=7" B=6-3/8" C=4-1/4" A=10" B=9-1/8" C=6"


COR-104



SIZE OPTIONS

A=5" B=5-7/8" C=3" A=8" B=9-3/8" C=4-3/4"
A=6" B=7" C=3-5/8" A=9" B=10-1/2" C=5-3/8"
A=7" B=8-1/4" C=4-1/4" A=10" B=11-3/4" C=6"


COR-105



SIZE OPTIONS

A=5" B=3-3/8" C=3" A=8" B=5-3/8" C=4-3/4"
A=6" B=4" C=3-5/8" A=9" B=6" C=5-3/8"
A=7" B=5-5/8" C=4-1/4" A=10" B=6-5/8" C=6"


COR-106



SIZE OPTIONS

A=5" B=3-1/4" C=3" A=8" B=5-1/4" C=4-3/4"
A=6" B=4" C=3-5/8" A=9" B=6" C=5-3/8"
A=7" B=4-5/8" C=4-1/4" A=10" B=6-5/8" C=6"


COR-107



SIZE OPTIONS

A=5" B=4" C=3" A=8" B=6-1/2" C=4-3/4"
A=6" B=4-7/8" C=3-5/8" A=9" B=7-1/4" C=5-3/8"
A=7" B=5-5/8" C=4-1/4" A=10" B=8-1/8" C=6"


COR-108



SIZE OPTIONS

A=5" B=4-1/2" C=3" A=8" B=7-1/4" C=4-3/4"
A=6" B=5-1/2" C=3-5/8" A=9" B=8-1/4" C=5-3/8"
A=7" B=6-3/8" C=4-1/4" A=10" B=9-1/8" C=6"


COR-109



SIZE OPTIONS

A=5" B=3-5/8" C=3" A=8" B=5-3/4" C=4-3/4"
A=6" B=4-1/4" C=3-5/8" A=9" B=6-1/2" C=5-3/8"
A=7" B=5" C=4-1/4" A=10" B=7-1/8" C=6"


COR-110



SIZE OPTIONS

A=5" B=7-1/4" C=3" A=8" B=11-5/8" C=4-3/4"
A=6" B=8-3/4" C=3-5/8" A=9" B=13-1/8" C=5-3/8"
A=7" B=10-1/8" C=4-1/4" A=10" B=14-1/2" C=6"


COR-111



SIZE OPTIONS

A=5" B=6-3/8" C=3" A=8" B=10-1/4" C=4-3/4"
A=6" B=7-5/8" C=3-5/8" A=9" B=11-1/2" C=5-3/8"
A=7" B=9" C=4-1/4" A=10" B=12-3/4" C=6"


COR-112



SIZE OPTIONS

A=5" B=7-3/8" C=3" A=8" B=11-3/4" C=4-3/4"
A=6" B=8-7/8" C=3-5/8" A=9" B=13-1/4" C=5-3/8"
A=7" B=10-3/8" C=4-1/4" A=10" B=14-3/4" C=6"


COR-113



SIZE OPTIONS

A=5" B=6-1/8" C=3" A=8" B=9-3/4" C=4-3/4"
A=6" B=7-3/8" C=3-5/8" A=9" B=11" C=5-3/8"
A=7" B=8-1/2" C=4-1/4" A=10" B=12-1/4" C=6"


COR-114



SIZE OPTIONS

A=5" B=6-7/8" C=3" A=8" B=11" C=4-3/4"
A=6" B=8-1/4" C=3-5/8" A=9" B=12-3/8" C=5-3/8"
A=7" B=9-5/8" C=4-1/4" A=10" B=13-3/4" C=6"


COR-115



SIZE OPTIONS

A=5" B=4-3/8" C=3" A=8" B=7" C=4-3/4"
A=6" B=5-1/4" C=3-5/8" A=9" B=7-7/8" C=5-3/8"
A=7" B=6-1/8" C=4-1/4" A=10" B=8-7/8" C=6"


COR-116



SIZE OPTIONS

A=5" B=6-1/2" C=3" A=8" B=10-1/2" C=4-3/4"
A=6" B=7-7/8" C=3-5/8" A=9" B=11-3/4" C=5-3/8"
A=7" B=9-1/8" C=4-1/4" A=10" B=13" C=6"


COR-117



SIZE OPTIONS

A=5" B=8-5/8" C=3" A=8" B=13-3/4" C=4-3/4"
A=6" B=10-1/4" C=3-5/8" A=9" B=15-3/8" C=5-3/8"
A=7" B=12" C=4-1/4" A=10" B=17-1/8" C=6"


COR-118



SIZE OPTIONS

A=5" B=2-7/8" C=3" A=8" B=4-5/8" C=4-3/4"
A=6" B=3-1/2" C=3-5/8" A=9" B=5-1/4" C=5-3/8"
A=7" B=4" C=4-1/4" A=10" B=5-3/4" C=6"


COR-119



SIZE OPTIONS

A=5" B=2-7/8" C=3" A=8" B=4-5/8" C=4-3/4"
A=6" B=3-1/2" C=3-5/8" A=9" B=5-1/4" C=5-3/8"
A=7" B=4" C=4-1/4" A=10" B=5-3/4" C=6"


COR-120



SIZE OPTIONS


A=5" B=3-1/8" C=3" A=8" B=5" C=4-3/4"
A=6" B=3-3/4" C=3-5/8" A=9" B=5-5/8" C=5-3/8"
A=7" B=4-3/8" C=4-1/4" A=10" B=6-1/4" C=6"

COR-121




SIZE OPTIONS

A=5" B=3-1/2" C=3" A=8" B=5-5/8" C=4-3/4"
A=6" B=4-1/4" C=3-5/8" A=9" B=6-3/8" C=5-3/8"
A=7" B=5" C=4-1/4" A=10" B=7-1/8" C=6"



TOP VIEW



CUSTOM SIZES ARE AVAILABLE ON REQUEST.
POST CUT OUT IS OPTIONAL. SOLID PIECE COLUMN
AND HALF COLUMN CAN BE ORDERED.

SEE FULL CAPS AND BASES OPTION ON SEPARATE
PAGE.

----- HALF COLUMN CUT

—— POST CUT

Copyright © 2026 - Invicta Foam Products, LLC




(BASE CB 101)




(BASE CB 105)




(BASE CB 102)




(BASE CB 104)




(BASE CB 103)




ROUND
STANDARD




ROUND
FLUTED



SQUARE
BULLNOSED



SQUARE
FLUTED



SQUARE
GROVED


----- HALF COLUMN CUT
—— POST CUT

COLUMNS CAPS & BASES

SIZES OF CAPS/BASES RANGE FROM 7" TO 26" COLUMNS.
CUSTOM SIZES ARE ALSO AVAILABLE
UPON REQUEST.

Copyright © 2026 - Invicta Foam Products, LLC

CB-101



2D PROFILE



FULL COLUMN FRONT VIEW




BASE PERSPECTIVE VIEW



CAP PERSPECTIVE VIEW



CB-102



2D PROFILE



FULL COLUMN FRONT VIEW




BASE PERSPECTIVE VIEW




CAP PERSPECTIVE VIEW



CB-103



2D PROFILE



FULL COLUMN FRONT VIEW




BASE PERSPECTIVE VIEW




CAP PERSPECTIVE VIEW



CB-104



2D PROFILE



FULL COLUMN FRONT VIEW




BASE PERSPECTIVE VIEW



CAP PERSPECTIVE VIEW



CB-105



2D PROFILE



FULL COLUMN FRONT VIEW




BASE PERSPECTIVE VIEW



CAP PERSPECTIVE VIEW



CB-106



2D PROFILE



FULL COLUMN FRONT VIEW




BASE PERSPECTIVE VIEW




CAP PERSPECTIVE VIEW



CB-107



2D PROFILE



FULL COLUMN FRONT VIEW




BASE PERSPECTIVE VIEW



CAP PERSPECTIVE VIEW



CB-108



2D PROFILE



FULL COLUMN FRONT VIEW




BASE PERSPECTIVE VIEW



CAP PERSPECTIVE VIEW



CB-109



2D PROFILE



FULL COLUMN FRONT VIEW




BASE PERSPECTIVE VIEW



CAP PERSPECTIVE VIEW



CB-110



2D PROFILE



FULL COLUMN FRONT VIEW



BASE PERSPECTIVE VIEW



CAP PERSPECTIVE VIEW

